Medicines and Poisons Act 2019

Extended Practice Authority 'Pharmacists – Community pharmacy chronic conditions management pilot'



Version control

Version	Replaces version	Date approved	Commencement date
1	N/A	16 May 2025	1 July 2025

Disclaimer: Please note that any material printed is regarded as an uncontrolled copy. It is the responsibility of the person printing the document to refer frequently to https://www.health.qld.gov.au/system-governance/licences/medicines-poisons/medicines-poisons-act/legislation-standards for updates

Extended Practice Authority - 'Community pharmacy chronic conditions management pilot'

This extended practice authority (EPA) has been made by the Director-General, Queensland Health, as the chief executive under section 232 of the *Medicines and Poisons Act 2019* (Qld). It states the scope of the regulated activities with the regulated substances which a participating pharmacist is authorised to carry out for the purposes described in the table under Schedule 9, Part 1, Division 2A of the Medicines and Poisons (Medicines) Regulation 2021 (Qld).

A term used in this EPA that is defined in the *Medicines and Poisons Act 2019* or the Medicines and Poisons (Medicines) Regulation 2021, has the meaning stated in the *Medicines and Poisons Act 2019* or Medicines and Poisons (Medicines) Regulation 2021.

Part 1. Circumstances and conditions

- 1.1 A participating pharmacist must meet the requirements specified within the '<u>Queensland</u> <u>Community Pharmacy Chronic Conditions Management Pilot – Participation</u> <u>Requirements</u>' to prescribe a medicine under this EPA.
- 1.2 A participating pharmacist may only prescribe a medicine under this EPA in a participating pharmacy that meets the requirements specified within the '<u>Queensland Community</u> <u>Pharmacy Chronic Conditions Management Pilot Participation Requirements</u>'.
- 1.3 A participating pharmacist must not prescribe a medicine for the treatment of an animal under this EPA.
- 1.4 A participating pharmacist must, when prescribing a medicine under this EPA, document consent obtained from the patient to have a service provided under this EPA, including evaluation, financial, and clinical consent.

Part 2. Prescribing

- 2.1 A participating pharmacist may prescribe a medicine listed in <u>Appendix 1</u>, Column 1:
 - 2.1.1 for the indication listed in Appendix 1, Column 2; and
 - 2.1.2 subject to the restrictions stated opposite in Appendix 1, Column 3; and
 - 2.1.3 the participating pharmacist must take all reasonable steps to prescribe the medicine in accordance with the current online version of the section/s of the Therapeutic Guidelines specified within Appendix 1, Column 3.
- 2.2 A participating pharmacist must, when prescribing a medicine under this EPA, document the following in the clinical record of a consultation with a patient:
 - 2.2.1 Relevant patient history; and
 - 2.2.2 An assessment of the condition that requires the prescribed medicine; and
 - 2.2.3 The management plan for treating the patient's condition including:
 - a. The name of the medicine prescribed; and
 - b. The strength of the medicine prescribed; and

- c. The formulation of the medicine prescribed; and
- d. The instructions for use of the medicine prescribed; and
- e. The amount of the medicine prescribed.
- 2.3 When prescribing a medicine, the pharmacist must make a written prescription that is compliant with Chapter 4, Part 6, Division 3 of the Medicines and Poisons (Medicines) Regulation 2021.
- 2.4 The pharmacist must not prescribe, in one prescription, greater than 12 months' supply of a medicine listed in Appendix 1 of this EPA.

Appendix 1 - Medicines for the community pharmacy chronic conditions management pilot

Column 1 - Regulated substance	Column 2 – Indication	Column 3 - Restrictions/Conditions
Inhaled anticholinergics Inhaled beta-2 agonists Inhaled corticosteroids Montelukast Prednisolone Prednisone	Asthma – management of asthma symptoms	 The prescriber must take all reasonable steps to prescribe the medicine in accordance with the current online version of the section of the Therapeutic Guidelines titled '<i>Respiratory: Asthma</i>'. The medicine may only be prescribed to a patient aged 16 years to 65 years.
Angiotensin converting enzyme (ACE) inhibitors Angiotensin II receptor blockers Dihydropyridine calcium channel blockers Thiazides and thiazide-like diuretics	Cardiovascular disease risk reduction – management of hypertension and blood pressure reduction	 The prescriber must take all reasonable steps to prescribe the medicine in accordance with the current online version of the section of the Therapeutic Guidelines titled '<i>Cardiovascular: Blood pressure reduction: Hypertension and blood pressure reduction'</i>. The medicine may only be prescribed to a patient aged 18 years to 79 years.
Ezetimibe HMG-CoA reductase inhibitors (Statins) Fibrates	Cardiovascular disease risk reduction – lipid modification	 The prescriber must take all reasonable steps to prescribe the medicine in accordance with the current online version of the section of the Therapeutic Guidelines titled '<i>Cardiovascular: Lipid modification'</i>. The medicine may only be prescribed to a patient aged 18 years to 79 years.
Dipeptidyl peptidase 4 (DPP- 4) inhibitors Glucagon-like petide-1 (GLP- 1) analogues Metformin Sodium-glucose co- transporter 2 (SLGT2) inhibitors	Cardiovascular disease risk reduction – management of blood glucose	 The prescriber must take all reasonable steps to prescribe the medicine in accordance with the current online version of the section of the Therapeutic Guidelines titled '<i>Diabetes: Type 2 diabetes in adults</i>'. The medicine may only be prescribed to a patient aged 18 years to 79 years.
Inhaled anticholinergics Inhaled beta-2 agonists Inhaled corticosteroids Prednisolone Prednisone	Chronic obstructive pulmonary disease	 The prescriber must take all reasonable steps to prescribe the medicine in accordance with the current online version of the section of the Therapeutic Guidelines titled <i>'Respiratory: Chronic obstructive pulmonary disease'.</i> The medicine may only be prescribed to a patient aged 35 years and older.